




2 RIGHT VIEW




1 FRONT VIEW




3 LEFT VIEW




4 BACK VIEW




5 TOP VIEW




6 BOTTOM VIEW




2 RIGHT VIEW




1 FRONT VIEW




5 TOP VIEW




6 BOTTOM VIEW



3 LEFT VIEW



4 BACK VIEW





1 INTERCOM PANEL FRONT VIEW

953mm TO BOTTOM OF PANEL

1200mm MAX TO TOP OF USABLE TOUCHSCREEN



ADA Compliance Requirement



2 FRONT VIEW:WALL MOUNTING BRACKET PLACEMENT

953mm TO BOTTOM OF BRACKET

1019mm TO SCREW HOLE CENTER OF BRACKET



3 SIDE VIEW:INTERCOM ON WALL

Applicable Model

R29

Drawing Title

Flush Mounting Box

Drawing Unit

mm

Drawing Scale

Not to scale

DRAFT
SUBJECT TO
CHANGE

Last Revised


Mar 25,2020

Drawing Version


V1.0

Page


4 of 5




5 TOP VIEW




1 FRONT VIEW




3 LEFT VIEW




4 BACK VIEW



2 RIGHT VIEW



6 BOTTOM VIEW





1 INTERCOM PANEL FRONT VIEW

953mm TO BOTTOM OF PANEL

1200mm MAX TO TOP OF USABLE TOUCHSCREEN



ADA Compliance Requirement



2 FRONT VIEW: FLUSHING MOUNTING BOX PLACEMENT

958mm TO BOTTOM OF BRACKET

983mm TO SCREW HOLE CENTER OF BRACKET



3 SIDE VIEW:INTERCOM IN WALL