









 Open A Smart World
Applicable Model E21V
Drawing Title Intercom Panel
Drawing Unit mm
Drawing Scale Not to scale
DRAFT SUBJECT TO CHANGE
Last Revised December 31,2019
Drawing Version V1.0
Page 1 of 4


 Open A Smart World
Applicable Model E21A
Drawing Title Intercom Panel
Drawing Unit mm
Drawing Scale Not to scale
DRAFT SUBJECT TO CHANGE
Last Revised December 31,2019
Drawing Version V1.0
Page 2of 4




5 TOP VIEW




1 FRONT VIEW




3 LEFT VIEW



4 BACK VIEW



2 RIGHT VIEW



6 BOTTOM VIEW

Applicable Model

E21

Drawing Title

Flush Mounting Box

Drawing Unit

mm

Drawing Scale

Not to scale

DRAFT
SUBJECT TO
CHANGE

Last Revised


December 31,2019

Drawing Version


V1.0

Page


3 of 4




5 TOP VIEW




2 RIGHT VIEW




1 FRONT VIEW




3 LEFT VIEW




4 BACK VIEW




6 BOTTOM VIEW




1 E21V INTERCOM PANEL FRONT VIEW




2 E21A INTERCOM PANEL FRONT VIEW



3 FRONT VIEW:FLUSH MOUNTING BRACKET PLACEMENT



4 SIDE VIEW:INTERCOM IN WALL




1130mm TO BOTTOM OF PANEL

1200mm MAX TO CENTER OF USABLE BUTTON

ADA Compliance Requirement

1130mm TO BOTTOM OF PANEL

1200mm MAX TO CENTER OF USABLE BUTTON



1140mm TO BOTTOM OF BRACKET